


NEIGR/ENGG/57/2007

DATED: -

11.06.2010

To,

THE EXECUTIVE ENGINEER
NORTH EASTERN INDIRA GANDHI REGIONAL
INSTITUTE OF HEALTH AND MEDICAL SCIENCES,
SHILLONG



SUB: TENDER FOR THE WORK: - Provision of Aluminium partitions with pre-laminated board for the Prosthetic and Orthotic section at -1 lvl of the Hospital

Sir,

I beg to submit my tender for the above mentioned work after going through the details of the tender and duly signed by me for favour of your kind consideration and further disposal.

Encl:

1. Tender paper _____ sheets
2. Money Receipt _____

Yours faithfully,

Signature of contractor _____

Date _____

Name of contractor

(In Block Letters)

Sri/Smti _____

Full Postal Address _____

Registration No: _____

DETAILED TENDER NOTICE

Sealed tenders in two bid system are invited from registered contractors of PWD(Building)/PHE/Estate office (GAD)/MES/MESEB and equivalent class of CPWD for the following work and will be received at the office of the undersigned upto 1430 hrs on 01/07/2010 and will be opened on the same date in the presence of the tenderer(s) or their authorized agent(s) at 1430 hrs.

Name of work	Estimated cost (Rs) (approx)	EMD (Rs)
Provision of Aluminium partitions with pre-laminated board for the Prosthetic and Orthotic section at -1 lvl of the Hospital	5,32,264.00	10650.00

General Conditions of Contract (GCC):

1. The Tender is a Two Bid System. All technical, commercial documents are to be enclosed in Envelope -1 & only the Price Bid is to be enclosed in Envelope -2.
2. The Tender Reference & name of work is to be mentioned clearly on each envelope.
3. Intermixing of envelopes will tantamount to rejection.
4. The site is located at Mawdiangdiang
5. Time of completion: One month from the date of issue of commencement order.
6. EMD to be deposited in the form of FD/Call Deposit to be duly pledged in favour of the Financial Adviser , NEIGRIHMS, Shillong.
7. Contractors shall be deemed to have inspected and examined the site of work and its surroundings before submitting the tenders.
8. Tenderers will have to submit attested copy of their registration along with a recent passport size photograph duly attested.
9. Intending tenderers have to quote their rates both in figure and in words on percentage basis at par/above the Meghalaya PWD schedule of rates for Buildings 2007-2008 and DSR 2007 . Rates to be quoted separately for Non Schedule Items (if any) as indicated in the Price Bid.
10. The contractor shall not sub-contract the work to sub-contractors or to any single sub-contractor. An undertaking by the contractor shall have to be submitted to this effect.
11. The successful contractor shall provide a performance security for his proper performance of the contract within 7 (seven) days from the date of receipt of letter of award. The performance Security shall be in the form of FD/Call Deposit to be pledged in favour of Financial Adviser, NEIGRIHMS. The amount of the security shall be 5 % (five percent) of the contract price. The performance security shall be valid until the contractor has executed and completed the works and remedied any defects therein in accordance with the contract. The Performance security shall be returned to the contractor within 14 days from the expiry of the Defect Liability period. If the contractor fails to perform the work as per terms and conditions of the contract, the performance security shall be forfeited.
12. If during the execution of the work the contractor encounters physical obstructions or physical conditions other than climatic conditions on the site, which obstructions or conditions were in his reasonable opinion not foreseeable by the contractor, the contractor shall forth with give notice thereof to the Executive Engineer ©,NEIGRIHMS. On receipt of such notice, the EE shall , in his opinion feel that such obstructions/conditions could not have been reasonably foreseen by the contractor, after due consultation with the contractor determine any extension of time with no financial bearing to which the contractor is entitled.
13. During the execution of the works, the contractor shall keep the site reasonably free from all unnecessary obstructions and shall store or depose of any contractors equipment and surplus materials and clear from the site any wreckage, rubbish or temporary works in consultation with the Sanitary Supt of the Institute.

14. Before issue of any completion certificate, the contractor shall clear away and remove from that part of the site to which the completion certificate relates all contractors' equipment, surplus material, rubbish and temporary works of every kind.
15. The contractor while employing labour should ensure that all the statutory labour laws and regulations are adhered to.
16. In the event of
 - a. The amount or nature of extra or additional work
 - b. Exceptionally adverse climatic conditions
 - c. Other special circumstances which may occur other than through a default or breach of contract by the contractor or for which he is responsible. Being such as fairly to entitle the contractor to extension of time for completion of the works or any section or part thereof, the Institute shall after due consultation with the contractor and subject to clause 12 determine the amount of such extension with no financial bearing and shall notify the contractor accordingly.
17. If the contractor fails to complete the execution and completion of the works as specified in the work order and if extension of time is granted if any in accordance with clause 12 and 16 of the GCC, the contractor shall be bound to pay as liquidated Damages a sum of 0.5 % (percent) per week of delay for such default subject to a maximum of 10 % of the contract price.
19. When whole of the works have been substantially completed, the contractor shall give a notice to the Executive Engineer © of the Institute, accompanied by a written undertaking to finish with due expedition any outstanding work during the defect Liability period. Such notice and undertaking shall be deemed to be a request by the contractor to the EE © to issue a taking over certificate.
20. Defect liability period shall be 3 (three) months calculated from the date of completion of the works certified by the EE © in the completion certificate.
21. If the contractor fails to fulfill any of the obligations under this contract, the Institute shall be at liberty to terminate the contract thereby voiding the contract and will be at liberty to allot the whole work or balance works to any other party at the risk and cost of the first party.
22. All works are to be carried out as per current specification prevailing in the state of Meghalaya (MPWD & CPWD) and when directed by the Institute.
23. In submitting tender the registered contractor should mention registration number and class with full present address and should submit attested copy of the registration certificate.
24. All the relevant documents required to be submitted along with the tender including the EMD should be submitted in the first envelope marked as *Envelope I* and only the price quoted should be submitted in another envelope marked as *Envelope II (form annexed to these conditions)*
25. The Envelopes should clearly indicate the name of work, name, address and contact number of the contractor. Tenders not submitted in the said format will be rejected.
26. Every page of the tender paper to be signed by the contractor as a token of acceptance of the terms and conditions before submission of tender, failing which the tender will be rejected.
27. **Average Annual Financial Turnover** during the last three years ending 31st March of the previous financial year should be at least **30 % of the estimated cost**.
28. Parties should have the experience of having successfully completed similar works during the last 7 (seven) years ending last day of month previous to the one in which applications are invited should be either of the following: (a) **Three similar completed works** costing not less than the amount equal to **40% of the estimated cost** or (b) **Two similar completed works** costing not less than the amount equal to **50 % of the estimated cost** or (c) **one similar completed work** costing not less than the amount equal to **80 % of the estimated cost**. Documentary proof in the form of completion certificates only are to be enclosed failing which the tender will be non responsive.
29. Completion Certificates are to be signed by Officers not below the rank of Executive Engineers.
30. Completion Certificates should indicate the items of works executed along with the date of award of work & time of completion as per work order & actual time of completion (**FORMAT –A**)
31. Running payments can be made to the contractor subject to certification by the Executive Engineer (C) after completion of about 50 % of the work and final payment will be paid

- after completion of the work after due certification and satisfaction of the Executive Engineer (C).
32. Parties to submit latest VAT clearance certificate.
 33. Parties to submit PAN Card
 34. Rates once accepted will not be enhanced due to variation in the rate of materials, labour and Government taxes.
 35. No tools and plants will be supplied by the Institute
 36. No materials will be supplied by the Institute.
 37. Contractors should clearly mention the name of work for which they are quoting for in both the Envelopes.
 38. While submitting price bids, contractors should not use correction fluid. Price bids where correction fluid has been used will not be accepted.
 39. The quoted rates shall be firm ,fixed and binding on the contractor irrespective of any variation in the quantities stated in the contract upto ± 20 % variation of the contract value as a whole.
 40. Successful Non –Tribal tenderers should submit the valid Trading license within 7 (seven) days from the date of issue of preliminary work order.
 41. Any dispute arising out of the contract shall be settled by the Director, NEIGRIHMS.
 42. The specifications and mode of measurement for civil works shall be in accordance with PWD/CPWD specifications unless otherwise specified.
 43. If there is any excess payment on any item etc made to the contractor, the contractor shall not hesitate to cooperate in adjusting / deducting the same from either the running bills or final bills.
 44. The rates written in words shall prevail in case of any variation between the rates mentioned in figure and in words.
 45. The Institute reserves the right to accept or reject any or all tenders without assigning any reason thereof
 46. All the above requirements are compulsory for fulfillment as part of the tenders failing which tenders will be rejected.
 47. All documents, registrations should be valid as on the date of tender.
 48. In the event of responsive parties quoting same rates, the Institute will have the right to decide on the allotment of the work to any of the responsive party/parties without assigning any reasons thereof.
 49. Meghalaya Value added tax, as applicable will be deducted from the bills of the contractor.
 50. The rate quoted for the additional/non-scheduled item should be quoted as per the price bid format annexed to this tender failing which tenders will be rejected.
 51. Parties to submit the list of technical staff with at least one experienced Junior Engineer-Civil (Diploma). Attested copy of diploma/degree certificates to be enclosed. Undertaking in the form of affidavit to be submitted.
 52. Tender documents can be collected from the Engineering section of the Institute on payment of Rs.500.00 (Rupees five hundred) in the form of Bankers cheque/DD in favour of Financial Adviser, NEIGRIHMS. Tenders can also be downloaded from the Institute's website www.neigrihms.nic.in .Downloaded tender documents will have to be accompanied with a DD/bankers cheque of Rs 500.00 towards the cost of the tender.

Executive Engineer (Civil)
NEIGRIHMS

Copy to : Accounts officer for information

Check List of documents to be submitted along with the tender:

Envelope I

1. Earnest money Deposit
2. Attested copy of registration and a recent passport size photograph duly attested .
3. Undertaking not to sub-let the work.
(format enclosed with the tender)
4. Valid Trading license in case of non-tribal contractors.
5. Pan Card.
6. Latest Vat Clearance certificate
7. Documentary proof of work orders, completion certificates as specified in clause 29 of the GCC.
8. Tender papers to be signed on all pages.
9. The Envelopes should clearly indicate the name of work, name, address and contact number of the contractor.
10. FORMAT – A
11. Average Annual Financial Turnover during the last three years
12. List of technical staff with undertaking

Envelope II

1. Price bid (format enclosed with the tender)

FORM OF UNDERTAKING

To

The Executive Engineer (Civil)
NEIGRIHMS

Sub: Provision of Aluminium partitions with pre-laminated board for the Prosthetic and Orthotic section at -1 lvl of the Hospital

Sir,

With reference to the above, I hereby undertake not to sublet the work cited above, if the work is allotted to me.

Date:

Name of contractor:

Signature and seal:

FORMAT - A.

1. Name of Contractor: -
2. Name of work completed: -
3. Agreement No: -
4. Name of Division in which work was executed: -
5. Tender Cost: -
6. Stipulated date of Start (as per w/o):-
7. Stipulated date of Completion (as per w/o):-
8. Actual date of Completion: -

Signature of Contractor

**Signature of Officer issuing the C/Certificate

** (Officer should not be lower than the rank of Executive Engineer – Civil)

PRICE BID:

To be submitted in Envelope II

Name of the Work: - Provision of Aluminium partitions with pre-laminated board for the Prosthetic and Orthotic section at -1 lvl of the Hospital

A. Items of work as per MPWD SOR for Buildings 2007-08

Sl No	Items No	Description	Unit	Qty	Rate to be quoted by contractor at par /above the MSR 2007-08 in figure and in words
1	12.2	Demolishing cement concrete including disposal of materials within 50m lead a) 1:3:6 or richer mix	Cum	1.84	
2	3.9	Providing 1st class brick in required thickness in cement mortar 1:6(1cement and 6 sand) including curing complete as directed b) For walling (super structure) ii) Thickness 12.5 cm	Sqm	11.50	
3	4.1	Providing 12mm thick cement plaster i/c cleaning the surface and curing complete as directed a) Proportion 1:2 ii) Cement procured by contractor	Sqm	27.55	
4	3.10	Providing regular stone masonry in retaining walls etc coursed with hammer dressed or blunt chisel dress stones of heavy section not less than 25cm x 25cm x 75cm long set in cement mortar 1:6 including filling of trances and providing of weep holes at 1.20 to 1.50 meters apart staggered complete	Cum	3.35	
5	4.7	Providing cement concrete floor 65mm Thick in proportion 1:3:6 to the proper level and sloped including ramming and curing complete as directed ii) Cement procured by Contractor	Sqm	2.25	
6	4.10	Providing cement concrete topping proportion is 1:1:2 corresponding to M 250 to the proper level and slope including curing and trowel finished with a floating coat of neat cement slurry @ 2.75kg of cement per Sqm for floor complete as directed a) 20mm thick topping ii) cement procured by contractor	Sqm	30.00	
7	7.1	Providing dressed and rebated wood works in frames of doors and other similar works, framed and fitted in position with nails, spikes, nuts, bolts, etc as required and directed complete c) Local wood (pooma, hollock, oak gamari and the like)	Cum	0.106	
8	7.18	Providing and fixing flushed door with solid core (termite proof) made according to IS 2202 (Part I) 1983, factory pressed, including 4 Nos of iron hinges and necessary tower bolts (AI) complete(Termite proof) a) 40mm thick	Sqm	4.55	
9	6.13	Providing and fixing anodized aluminium doors, windows and ventilators of standard section without horizontal glazing bars, (manufactured to relevant IS specifications and minimum anodic coating of grade AC 15) with lugs 16mm x 3.15mm and 10cm long, embedded in cement concrete blocks 15cm x 10cm x10cm size of 1:3:6(1cement: 3sand :6stone aggregate) or with wooden plugs and screws including projecting hinges, handles, locking arrangement etc complete alluminium section shall be smooth, straight, mitred and jointed mechanically wherever required including cleat angle, aluminium snap beading for flazing/paneling all complete as per architectural drawings & direction of the Engineer in charge (Glazing & paneling to be paid for separately a) Fixed door (with necessary spring to hold glass panes etc)	m ²	95.16	
10	6.13	b) Single leaf door	m ²	12.60	
11	9.2	Providing and fixing frosted glass panes embedded in putty and fixed with nails etc complete (wooden doors and windows) a) 5mm thick	m ²	51.79	

12	4.21	Supplying, fitting and fixing white glazed tiles (Pilkington make) on walls over a layer of 12mm thick cement plaster of proportion 1:2 including cutting, sizing the tiles to required size after rubbing the edges with carborandom stone and fixing the tiles with a lining of cement paste including cleaning the surface complete as directed. ii) cement procured by contractor	Sqm	13.13	
13	4.33	Providing glazed ceramic floor tiles (Somany/Johnson) of approved shade 9.5mm thick in flooring, treads of steps and landing laid on a bed of 12mm thick cement mortar 1:3 finished with flush pointing as directed b) for heavy traffic areas ii) cement procured by contractor	Sqm	3.10	
14	11.2	Providing and fixing in position Indian pattern W/C including traps etc and foot rest etc complete with all necessary fittings including cutting and making good the walls and floors wherever required and as directed by the Engineer in charge c) 580mm	Each	1	
15	11.3	Providing and fixing in position low down flushing cistern etc (porcelain) complete with all necessary fittings including cutting and making good the walls and floors wherever required and as directed a) (i) White	Each	1	
16	11.5	Providing and fixing in position wash hand basin etc complete with all necessary fittings including cutting and making good the walls and floors wherever required and as directed b) 550 mm x 400 mm (i) White	Each	2	
17	11.5	d) Pedestal for basin (i) white	Each	2	
18	11.11	Providing and fixing bathroom mirror complete as directed b) Ordinary quality with PVC frame	Each	2	
19	11.12	Providing and fixing towel rail complete as directed a) CP	Each	2	
20	11.22	Providing and fixing 25mm dia pipe including necessary sockets, bends, jam nuts, elbows, tees etc complete as directed a) G I Pipes	Rm	30	
21	11.18	Providing and fixing pipes etc 15mm dia including necessary sockets, bends, jam nuts elbows, tees etc complete as directed a) In the bathroom i) Galvanized Iron	Rm	36	
22	11.19	Supplying, fitting and fixing CP bathroom fitting 12mm dia of approved board (AGMECO premium Spectra and the like) complete as directed a) Pillar cock	Each	3	
23	11.19	c) Bibcock, short body	Each	2	
24	11.19	g) Stop cock M/F thread	Each	3	
25	11.15	Supplying and fixing 100mm dia soil pipes etc (1.80 m each) including cement mortar chaulk joints laid to the proper level, excavating the foundation and filling, dressing complete as directed b) PVC	Rm	36	
26	10.9	Distempering with acrylic washable distemper of approved shade, one coat, to give an even shade including cleaning the surface etc on old works	Sqm	392.31	

B. Item of work as per MPWD SOR for Electrical works 07-08

					Rate to be quoted by the contractor above/at par the MPWD SOR (Electrical) 2007-08 in figure and in words
27	123 (b)	Supplying, fitting and fixing of water heater (Geyser) of 1.5 kw/2 kw with pressure release valve including all necessary accessories as required (Bajaj) b) 35 liter capacity	Each	1	

C. Items of work as per DSR 2007

		Item as per DSR 2007			Rate to be quoted at par above DSR 2007 In figure and in words in figure and in words
28	24.2	Providing and fixing 12mm thick pre laminated three layer medium density (exterior grade) Particle board grade I type II confirming to IS : 12823 bonded with phenol formaldehyde synthetic resin, of approved brand and manufacture in paneling fixed in aluminium doors, windows shutters and partition frames with brass steel screws etc. complete as per architectural drawings and directions of Engineer-in-charge. 24.2.2 Pre-laminated particle board with decorative lamination on both sides.	m ²	27.25	

Name of contractor:

Signature: